LIST OF CONTENTS

VOLUME 221

ALCOCK, J. and JOHNSON, M. D., Female mate choice in the carpenter bee *Xylocopa varipuncta* (Hymenoptera: Anthophoridae) 195

ARAD, Z., Resistance to desiccation and distribution patterns in bush-dwelling land snails 113

BAILEY, P. T. and DE MENDONÇA, T. R., The distribution of the millipede *Ommatoiulus moreleti* (Diplopoda, Julida: Julidae) in relation to other *Ommatoiulus* species on the south-western Iberian Peninsula 99

BEAL, A. M., Secretion rates and composition of parotid saliva in the koala (*Phascolarctos cinereus*) 261

BREED, W. G., Comparative studies on the timing of reproduction and foetal number in six species of Australian conilurine rodents (Muridae: Hydromyinae) 1

BRIEF REVIEWS, *see* FLINT, A. P. F., HEARN, J. P. and MICHAEL, A. E. 327
RICHARDS, K. S. and MYRING, W. J. 683

BROOKE, ANNE P., Tent selection, roosting ecology and social organization of the tent-making bat, *Ectophylla alba*, in Costa Rica 11

BROWN, W. A. B. and CHAPMAN, N. G., The dentition of fallow deer (*Dama dama*): a scoring scheme to assess age from wear of the permanent molariform teeth 659

DEEMING, D. C. and FERGUSON, M. W. J., Morphometric analysis of embryonic development in *Alligator mississippiensis*, *Crocodylus johnstoni* and *Crocodylus porosus* 419

DOWLING, H. G. and MAXSON, L. R., Genetic and taxonomic relations of the short-tailed snakes, genus *Stilosoma* 77

DULAK, J., The architecture of the spleen of the yellow-bellied toad, *Bombina variegata* .. 489

ECONOMIDIS, P. S. and MILLER, P. J., Systematics of freshwater gobies from Greece (Teleostei: Gobiidae) 125

FA, J. E., LOPEZ-PANIAGUA, J., ROMERO, F. J., GOMEZ, J. L. and LOPEZ, J. C., Influence of habitat characteristics on small mammals in a Mexican high-altitude grassland .. 275

FAULKES, C. G., ABBOTT, D. H. and MELLOR, A. L., Investigation of genetic diversity in wild colonies of naked mole-rats (*Heterocephalus glaber*) by DNA fingerprinting .. 87

FISH, F. E., Wing design and scaling of flying fish with regard to flight performance .. 391

FLINT, A. P. F., HEARN, J. P. and MICHAEL, A. E., The maternal recognition of pregnancy in mammals 327

HAPPOLD, D. C. D. and HAPPOLD, M., An ecological study of small rodents in the woodland savanna of Liwonde National Park, Malawi 219

KOFRON, C. P., The reproductive cycle of the Nile crocodile (*Crocodylus niloticus*) 477

KRUUK, H. and MOORHOUSE, A., Seasonal and spatial differences in food selection by otters (*Lutra lutra*) in Shetland 621

LIPINSKI, M. R. and DAVID, J. H. M., Cephalopods in the diet of the South African fur seal (*Arctocephalus pusillus pusillus*) 359

MAINA, J. N., The morphology of the gills of the freshwater African crab *Potamon niloticus* (Crustacea: Brachyura: Potamonidae): A scanning and transmission electron microscopic study 499

MEYER, A., Morphometrics and allometry in the trophically polymorphic cichlid fish, *Cichlasoma citrinellum*: Alternative adaptations and ontogenetic changes in shape 237

MOORE, H. D. M. and THURSTAN, S. M., Sexual differentiation in the grey short-tailed opossum, *Monodelphis domestica*, and the effect of oestradiol benzoate on development in the male 639

PUGH, P. J. A., KING, P. E. and FORDY, M. R., Spiracular transpiration in ticks: a passive diffusion barrier in three species of Ixodidae (Metastigmata: Acarina) 63

RACEY, P. A. (Ed.), Communications from the Mammal Society—No. 60 293
Recreational disturbance of large mammals in the Peak District, by D. W. YALDEN, p. 293; Some mitochondrial DNA polymorphisms in Irish wood mice (*Apodemus sylvaticus*) and bank voles (*Clethrionomys glareolus*), by J. M. BYRNE, E. J. DUKE and J. S. FAIRLEY, p. 299; Interactions between mountain hares (*Lepus timidus*) and other mammals, by R. HEWSON, p. 302; Changes in the diet of foxes (*Vulpes vulpes*) on the sands of Forvie National Nature Reserve, during the eider nesting period, 1974 to 1988, by W. L. WILSON, p. 305; Sexual dimorphism in the spotted hyaena (*Crocuta crocuta*), by L. G. FRANK, S. E. GLICKMAN and IRENE POWCH, p. 308; Cannibalism in a female badger (*Meles meles*): infanticide or predation?, by P. LÜPS and T. J. ROPER, p. 314; The prevalence of *Pseudoterranova decipiens* (Nematoda) and *Corynosoma strumosum* (Acanthocephala) in otters *Lutra lutra* from coastal sites in Britain, by D. J. JEFFERIES, H. M. HANSON and E. A. HARRIS, p. 316; The effect of railway lines on urban fox (*Vulpes vulpes*) numbers and dispersal movements, by W. J. TREWHELLA and S. HARRIS, p. 321.

RICHARDS, K. S. and MYRING, W. J., X-ray microscopy 683

RUSSELL, A. P. and BAUER, A. M., Hypertrophied phalangeal chondroepiphyses in the gekkonid lizard genus *Phelsuma*: their structure and relation to the adhesive mechanism 205

SCHATRAL, A. and YEOH, P. B., Spatial distribution, calling and interspecific acoustic interactions in two species of the Australian tettigoniid genus *Tympanophora* (Orthoptera, Tettigoniidae) 375

SIBLY, R. M., MONK, K. A., JOHNSON, I. K. and TROUT, R. C., Seasonal variation in gut morphology in wild rabbits (*Oryctolagus cuniculus*) 605

STRANG, K. T. and STEUDEL, K., Explaining the scaling of transport costs: the role of stride frequency and stride length 343

TILNEY, R. L. and HECHT, T., The food and feeding habits of two co-occurring marine catfish *Galeichthys feliceps* and *G. ater* (Osteichthyes: Ariidae) along the south-east coast of South Africa 171

UNDERWOOD, G. and STIMSON, A. F., A classification of pythons (Serpentes, Pythoninae) 565

VERRELL, P. A., Frequency of interspecific mating in salamanders of the plethodontid genus *Desmognathus*: different experimental designs may yield different results 441

WARKENTIN, I. G. and OLIPHANT, L. W., Habitat use and foraging behaviour of urban merlins (*Falco columbarius*) in winter 539

WEBB, J. F., Ontogeny and phylogeny of the trunk lateral line system in cichlid fishes .. 405

WELCH, D., STAINES, B. W., CATT, D. C. and SCOTT, D., Habitat usage by red (*Cervus elaphus*) and roe (*Capreolus capreolus*) deer in a Scottish Sitka spruce plantation 453

WILLIAMS, GARY C., A new genus of dimorphic soft coral from the south-western fringe of the Indo-Pacific (Octocorallia: Alcyoniidae) 21

YAGER, D. D., Sexual dimorphism of auditory function and structure in praying mantises (Mantodea: Dictyoptera) 517

ZIHLMAN, ADRIENNE L., MORBECK, MARY ELLEN and GOODALL, JANE, Skeletal biology and individual life history of Gombe chimpanzees 37

INDEX

Vol. 221—Pages 1–687

[New names in ***bold italics***. Systematic references in *italics*]

Accipiter gentilis, 540
—*nisus*, 540
Acomys spinosissimus, 219, 224–230, 232–234
Acrophytum, 33, 35
Aethomys chrysophilus, 219, 225–230, 232–234
—*namaquensis*, 233
Ailuronyx, 216
Alligator, 421, 423, 435–437
—*mississippiensis*, 419–439, 478, 485, 486
Alloposus mollis, 362–364
Alopex lagopus, 333
Amantis, 533
Amblythespis, 533
Ameles, 524, 532
—*heldreichi*, 518, 519, 524–527, 532–534
Ammotragus lervia, 333
Andrya cuniculi, 607
Anelytropsis, 596
Anguilla anguilla, 318, 625
Anilius, 567–570, 573, 576, 577, 582, 584, 597
Anisakis simplex, 320
Anomalepis, 573
Anomalochilus leonardi, 584
Anomochilus, 568
Antaresia childreni, 603
—*gilbertii*, 603
—*maculosus*, 603
—*perthensis*, 603
—*saxacola*, 594
Anthomastus, 22, 32–34
—*granulosus*, 28, 32, 33
—*trochiforme*, 28
—*trochiformis*, 22, 32
Apodemus sylvaticus, 299–302
Aponomma, 73
—*latum*, 63, 64, 69–73
Arctocephalus pusillus, 360
——*pusillus*, 359–374
—*tropicalis*, 360
Argonauta, 361–364
Argyrosomus hololepidotus, 189
Arius felis, 188
—*thalassinus*, 188
Arizona, 79, 83, 84
—*elegans*, 85
Artibeus watsoni, 17
Arvicanthis niloticus, 232
Arvicola terrestris, 608
Ascaphus, 496
Aspidites, 565, 566, 595–599
—*collaris*, 602
—*melanocephalus*, 566, 594
—*ramsayi*, 594
Astacus pallipes, 510, 511
Asiatoreochromis alluaudi, 239, 256
—*flaviijosephi*, 239
Asterias rubens, 625
Atelecyclus septemdentatus, 182
Atherina breviceps, 183
Aulonocranus, 413
—*dewindti*, 408
Aulopyge, 164
Australiasis amethistinus, 602
—*kinghorni*, 602
—*oenpelliensis*, 603
—*timoriensis*, 602
Azurina, 416

Bathyalcyon, 34
Bathybates, 412–416
—*fasciatus*, 408, 409
—*graueri*, 408, 409
—*minor*, 408
Biotoecus, 407, 413
—*opercularis*, 408
Birgus latro, 512
Bison bison, 680
Boa, 597
Bolivaria, 532
Bombina variegata, 489–498
Bombycilla garrulus, 539, 551, 552
Bos indicus, 346
Bothrochilus, 566, 593
—*albertisii*, 602
—*boa*, 566
—*childreni*, 603
—*fuscus*, 603
—*olivaceus*, 603
—*perthensis*, 603
Bovis, 660
Brachydanio rerio, 416
Bubo virginianus, 544
Bubyr, 147, 152
—*caucasicus*, 153
——*kosswigii*, 153
Bufo, 496
Buteo platypterus, 559

Calabaria, 566–570, 573–576, 580–582, 585, 595, 597
Calianassa kraussi, 171, 174
Callinectes, 509, 511
—*sapidus*, 511
Callorhinus ursinus, 370
Candoia, 597
—*asper*, 593
—*carinata*, 593
Canis familiaris, 333, 346
—*lupus*, 333
Capra, 660
—*hircus*, 346
Capreolus capreolus, 336, 453–476
Carcinus maenas, 320, 511, 625, 629–631
Carduelis flammea, 552
—*pinus*, 552
Carotalcyon, 34
Cemophora, 78, 79, 82–84
—*coccinea*, 78, 83, 85
Cenchria, 593
Cervus canadensis, 660
—*elaphus*, 293, 295, 297, 302, 453–476, 661
Chaeteessa, 534
Chalinochromis, 409, 413
—*brichardi*, 408
Charina bottae, 593
Chelydra serpentina, 436
Chirolophis ascannii, 625
Chondropython, 566, 593
—*viridis*, 566
Chopardempusa, 529, 532
Chrysemys picta, 486
Chrysopelea, 400
Cichla, 405, 407, 414
Cichlasoma citrinellum, 237–260
—*dovii*, 256
—*haitensis*, 239
—*managuense*, 255, 256
—*minckleyi*, 239, 244, 246
—*nigrofasciatum*, 414
Ciliata mustela, 621, 624, 625, 629–631
—*septentrionalis*, 624
Cittotaenia ctenoides, 606
—*denticulata*, 606, 617
—*pectinata*, 606, 617
Cleistosoma edwardsii, 171, 183
Clethrionomys glareolus, 299–302, 608
Coluber, 79, 80, 83
—*constrictor*, 78, 85
Columba livia, 552
Conger conger, 625
Connochaetes taurinus, 346
Corallus enhydris, 593
Corynosoma strumosum, 316–321
Cottus bairdi, 414
Creobroter gemmatus, 518, 536
Crocodylus, 419, 423, 430, 435–437
—*johnstoni*, 419–439
—*niloticus*, 477–488
—*porosus*, 419–439
Crocuta crocuta, 308–313
Cryptotis goldmani, 276, 284, 285
Cyclopterus lumpus, 625, 629
Cylindroiulus perforatus, 105
Cylindrophis, 567–570, 573, 574, 577, 582, 584
Cymodose, 182
—*valida*, 182
Cypselurus, 392–402

Dama dama, 454, 659–682
Danichthyes, 394–400
Dasyurus, 654
—*viverrinus*, 654
Dehaanius dentatus, 180, 182
Dendrobaena rubida, 686
Dermacentor andersoni, 73
—*marginatus*, 63, 64, 67, 69–73
Desmognathus, 441–451
—*fuscus*, 441, 442, 444–450
—*santeetlah*, 441–450
Dibamus, 596
Diclidurus alba, 17
Didelphis, 654
—*virginiana*, 640, 654, 655
Dinilysia, 567
Draco, 400
Drosophila, 442, 443, 450
—*mojavensis*, 442, 449
—*ochrophaeus*, 449, 450

Economidichthys, 125–127, 129, 134, 152, 164, 165
—*prevesicus*, 126
—*pygmaeus*, 125–134, 137–141, 147, 163–167
——*prevesicus*, 136, 140
——*pygmaeus*, 135, 140
Economidichthys trichonis, 125, 129, 134, 142–147, 163–167
Ectophylla alba, 11–19
Eider, 307
Eigenmannia, 414, 416
Elaphe, 78–80, 83
—*guttata*, 78, 84
—*obsoleta*, 78, 83, 85
—*vulpina*, 78, 84
Eledone cirrhosa, 320
Elephantulus fuscus, 225, 226, 234
Elops machnata, 190
Embiotoca jacksoni, 190
—*lateralis*, 190
Emys orbicularis, 427
Enhydra lutris, 319
Epicrates, 591, 593
—*cenchris*, 593
Equus caballus, 346
Eretmodus, 413
—*cyanostictus*, 408, 409
Eryx, 594
—*jaculus*, 580, 593
Etroplus, 407, 413, 414
—*maculatus*, 408, 413, 414
—*suratensis*, 408
Eumetopias jubatus, 370
Eunice, 182
Exocoetus, 391, 394–402
—*volitans*, 400, 401

Exosphaeroma hylocoetes, 183
—*truncatitelson*, 183

Falco columbarius, 539–563
——*columbarius*, 541
—*peregrinus*, 558
—*sparverius*, 540
Felis catus, 346
Fodiator, 394–398, 400
Fundulus, 407
Fungulus, 33, 34

Gadus morhua, 319, 625
Gaidropsarus mediterraneus, 624
—*vulgaris*, 624
Galathea dispersa, 182
Galeichthys, 171, 175, 179, 186–190
—*ater*, 171–193
—*caerulescens*, 188
—*feliceps*, 171–193
—*felis*, 188
Gasterosteus aculeatus, 141, 625, 629, 631
Gecarcinus, 509
—*lateralis*, 507, 511
Genidens genidens, 188
Geomys, 78
Gigantrophis, 597
Glaucomys volans, 400
Gobiocichla, 413, 414
Gobius, 126, 134
—*canestrinii*, 134
—*caucasicus*, 153
—*fluviatilis*, 158, 164
—*lencoranicus*, 152
—*longecaudatus*, 147
—*martensii*, 126, 134
——*prevesicus*, 134, 139
—*nigricans*, 126
—*punctatissimus*, 126, 147, 158
—*pygmaeus*, 126, 129, 134, 135, 139
—*thessalus*, 126, 158, 166
Gobiusculus, 152
Goneplax angulata, 171, 180, 182
Grammatotria, 412, 413, 415
—*lemairei*, 408
Graphidium strigosum, 605–609, 611, 615–618

Halichoerus grypus, 31›, 320
Hemibates, 412–416
—*stenosoma*, 408
Hemisaga denticulata, 376–378, 380–389
Heterocephalus, 95
—*glaber*, 87–97
Heterochromus, 414
Heteropolypus, 33, 34
Heteroxenia, 33, 34
Hierodula, 524
—*membranacea*, 518, 519, 522–526, 528, 533
Hirundichthyes, 394–400
Histioteuthis, 363
—*bonnelli corpuscular*, 362–364

Holthuisana, 507, 509–511
Hymenosoma orbiculare, 171, 182, 183
Hyrcanogobius, 152
—*bergi*, 152

Inioteuthis, 363, 364, 373
—*capensis*, 362–364
Ixodes, 64
—*ricinus*, 63, 64, 67, 70–74

Julidochromis, 407, 413
—*marlieri*, 408

Knipowitschia, 125, 126, 129, 131, 140, 141, 147, 152, 153, 157, 158
—*caucasica*, 125, 126, 148–155, 157, 163, 166
—*lenkoranica*, 126, 153
—*longecaudata*, 149, 153, 157
—*panizzae*, 126, 134, 153, 154, 157, 167
—*punctatissimus*, 147, 152, 166
—*thessala*, 125, 147, 149, 152, 153, 158–164, 166, 167
Kobus defassa, 346

Labrus mixtus, 625
Lamprologous, 409–413
—*attenuatus*, 408, 409
—*brevis*, 408, 413, 414
—*brichardi*, 408–410
—*compressiceps*, 408, 409
—*cunningtoni*, 408
—*dhansis*, 409
—*elongatus*, 408
—*furcifer*, 408, 409
—*mocquardi*, 409, 411
—*modestus*, 409, 411
—*ornatipinnis*, 409, 413
—*petricola*, 409
—*tretocephalus*, 409
—*werneri*, 409, 411
Lampropeltis, 77, 79, 80, 82–84
—*calligaster*, 78, 83–85
—*getulus*, 78, 83, 85
—*mexicanum*, 78, 83, 85
—*triangulum*, 78, 83–85
Leggadina forresti, 8
Lemniscomys rosalia, 225, 226, 232–234
Leo leo, 346
Leptonychotes weddelli, 369
Leptotyphlops, 569
Lepus americanus, 305
—*europaeus*, 302, 307, 334
—*timidus*, 302–305
Liasis, 566, 593
—*albertisii*, 566
—*amethistinus*, 566
—*boa*, 602
—*boeleni*, 602
—*childreni*, 566
—*fuscus*, 566
—*mackloti*, 566
—*maculosus*, 603

Liasis (*cont.*)
—*maximus*, 603
—*olivaceus*, 566
—*papuanus*, 566
—*perthensis*, 603
—*stimsoni*, 603
—*taronga*, 602
Lichanura roseofusca, 593
Limnochromis, 409, 413
—*auritus*, 409
—*permaxillaris*, 409
Lisalia, 566
—*barroni*, 603
Litoria caerulea, 211
Loligo, 361, 364, 371–373
—*vulgaris reynaudii*, 356–366, 368, 371–373
Lolliguncula mercatoris, 362–364
Loxocemus, 565–570, 572–574, 576, 577, 580–586, 591, 593–596, 598
—*bicolor*, 572
—*melanocephalus*, 70
Lutra lutra, 316–321
Lycoteuthis diadema, 362–364
Lysidice natalense, 182
Liza richardsonii, 174, 189
Lobophytum, 34, 35
Lutra lutra, 621–637
Lygodactylus, 216
Lymantria dispar, 518

Macaca mulatta, 272
Macropipus puber, 511
Macropodia falcifera, 180
Macropus eugenii, 335, 654
—*rufogriseus*, 293, 295–297
Madoqua kirkii, 346
Madtsoia, 597
Malacacanthus, 34
Manduca sexta, 533
Mantis religiosa, 518, 534
Masticophis, 79, 80, 83
—*flagellum*, 83, 85
Mastomys natalensis, 224–226, 232–234
Meles meles, 293, 314–315
Melomys, 2, 8, 9
Mesocricetus auratus, 93
Mesophylla macconnelli, 17
Metaballus frontalis, 376, 377, 381–389
Metallyticus, 534
Metrioptera, 375, 389
Microscalabotes, 216
Microtus, 288
—*agrestis*, 608
—*mexicanus*, 276, 285, 288
—*pennsylvanicus*, 552, 559
Mictyris longicarpus, 510
Millotisaurus, 216
Minabea, 34, 35
Miomantis, 533
Mirounga angustirostris, 360
—*leonina*, 360
Molva molva, 625
Monacha haifaensis, 113, 123
Monodelphis, 641, 654, 655
—*domestica*, 639–658
Montypythonoides riversleighensis, 595, 596
Morelia, 565, 566, 593–595, 598, 599
—***albertisii***, 572, 581
—*amethistina*, 566, 572, 578, 581, 593, 597, 598
—*antiqua*, 595, 596
—*argus*, 603
—***boa***, 602
—*boeleni*, 593
—*bredli*, 602
—*carinatus*, 602
—*cheynei*, 594
—*childreni*, 603
—***fusca***, 603
—*imbricata*, 603
—*mackloti*, 597, 598
—***maculosa***, 577, 603
—*mcdowelli*, 594
—*metcalfei*, 594
—*oenpelliensis*, 603
—***olivacea***, 603
—***papuana***, 603
—*perthensis*, 603
—*reticulatus*, 602
—*spilota*, 581, 593
—*stimsoni*, 572
—*timoriensis*, 602
—*variegata*, 603
—*viridis*, 603
Moroteuthis, 363
—*robsoni*, 362–364
Munna sheltoni, 183
Mus musculus, 345, 346
Mustela erminea, 302
Mygalopsis marki, 376–378, 383, 385–389
—*roeselii*, 389
Myoxocephalus scorpius, 625, 629, 630

Nardoa boa, 566
Neoconocephalus, 375
—*spiza*, 376, 389
Neogobius, 126, 134
Neoseps, 78
Neotoma mexicana, 276, 284, 285, 288
Nerodia, 78
Nesotragus moschatus, 346
Netuma barba, 188
—*planifrons*, 188
Nidaliopsis, 22, 33, 34
Notomys, 2, 8
—*alexis*, 1–9
—*mitchelli*, 1–9
Nyctophylopython oenpelliensis, 603

Ochaetostoma capense, 171, 174, 180, 182
Oconectes virilis, 510
Octopus, 359–367, 369, 371–373
—*dofleini*, 361
—*vulgaris*, 182

Ocypode platytarsis, 510
Ocythoe, 361
—*tuberculata*, 359, 361–367, 370–372
Odocoileus hemionus, 468
——*hemionus*, 661
—*virginianus*, 660
Ommatoiulus, 99–111
—*cingulatus*, 99, 102–105, 108–110
—*fuentei*, 105
—*diplurus*, 105, 108–110
—*moreleti*, 99–111
—*niger*, 105
—*oliveirae*, 99, 102–107, 109, 110
Opheodrys, 79
Oreochromis, 406
—*aureus*, 414
—*niloticus*, 416
Orgyia antiqua, 518, 535
Ornithoteuthis, 361–364, 367
Orsinigobius, 126, 147, 158
—*punctatissimus*, 152, 166
Oryctolagus cuniculus, 302, 305, 605–619, 625
Ovis aries, 346
Oxyothespis, 533

Pachychilon, 164
Pachysagella, 376–378, 380–389
Padogobius, 134
—*martensii*, 126
Pagophilus groenlandicus, 319
Pan, 54
—*troglodytes*, 39, 44, 48–52, 346
——*schweinfurthii*, 38, 39
Panaeus, 512
—*aztecus*, 510–512
Paragorgia, 33, 34
Paraphoxinus alepidotus, 166
Parasilurus aristotelis, 164
Parasphendale agrionina, 525
Parathelphusa masoniona, 507
Paratilapia, 414
Paraxerus cepapi, 226
Paretroplus, 414
Parexocoetus, 394–398, 400
Parisocladus perforatus, 183
Passalurus ambiguus, 605–609, 611, 615–617
Passer domesticus, 539, 541, 552
Perameles, 654
—*nasuta*, 654
Peromyscus, 288
—*alstoni*, 275, 276, 284–289
—*difficilis*, 276, 284, 285, 288
—*maniculatus*, 276, 284, 285, 288
—*melanotis*, 275, 276, 284–288
—*truei*, 289
Phascolarctos cinereus, 261–274
Phaxas decipiens, 180
Phelsuma, 205–217
—*abbotti*, 206, 208
—*andamanensis*, 206
—*astriata*, 206, 209, 215
—*barbouri*, 206, 209, 216
—*breviceps*, 206, 209, 216
—*cepediana*, 215
—*dubai*, 206, 209, 216
—*edwardnewtonii*, 206
—*guentheri*, 206
—*lineata*, 206
—*madagascariensis*, 206, 209, 211, 215
—*mutabilis*, 206, 209, 215
—*ocellata*, 205, 206, 209, 215, 216
—*quadriocellata*, 206, 209, 215
—*sundbergi*, 206, 207, 209, 211, 215
Pherussa, 182
Philyra punctata, 182
Phoca vitulina, 320, 370
Phocaena phocaena, 320
Pholis gunnellus, 625, 629–631
Pituophis, 78, 79, 83
—*melanoleucus*, 85
Plagusia chabrus, 180, 182
Platycephalus indicus, 190
Platycleis, 375, 389
—*albopunctata*, 389
Platynereis dumerilii, 182
Platyplectrurus, 574
Plecodus, 412, 413
—*elaviae*, 409
—*multidentatus*, 409
Pollachius pollachius, 625, 629, 630
—*virens*, 625, 629, 630
Pomadasys commersonni, 174
Pomatoschistus, 131, 140, 141, 152, 158, 165, 166
—*(Bubyr) causcasicus*, 153
———*kosswigi*, 153
—*canestrini*, 126, 166
—*caucasicus*, 147, 152
—*pygmaeus*, 134
Potamon, 499, 509–512
—*niloticus*, 499–515
Proterorhinus, 127
—*marmoratus*, 125–127
Pseudomys, 2, 3, 8
—*albocinereus*, 1–9
—*apodemoides*, 2, 8
—*australis*, 8
—*delicatulus*, 1–9
—*hermannsburgensis*, 1–9
—*minnie*, 8
—*nanus*, 1–9
—*novaehollandiae*, 8
Pseudophoxinus stymphalicus, 141
Pseudoterranova decipiens, 316–321
Pteranodon, 401
Ptychochromis, 414
Ptychozoon, 400
Python, 565, 566, 593–595, 598
—*amethistinus*, 566, 570, 579, 597
—*anchietae*, 566, 595, 596
—*boeleni*, 602
—*bredli*, 594

Python (*cont.*)
—*carinatus*, 594
—*curtus*, 595
——*breitensteini*, 575
——*brongersmai*, 575
—*molurus*, 566, 593, 596
——*bivittatus*, 575, 596
——*molurus*, 575, 596
—*oenpelliensis*, 594
—*regius*, 64, 566, 595, 596
—*reticulatus*, 565, 566, 571, 572, 595–598
—*saxuloides*, 602
—*sebae*, 566, 596
——*natalensis*, 571, 596
——*sebae*, 571, 596
—*spilotus*, 566, 579, 580
—*timoriensis*, 565, 566, 595–598
—*viridis*, 570

Rana, 496
Rattus, 2
—*colletti*, 2
—*norvegicus*, 345, 346
Reithrodontomys chrysopsis, 276, 284, 285, 288, 289
—*megalotis*, 275, 284–288
Rhabdosargus holubi, 174
Rhacodactylus, 206
Rhineura, 78
Rhinocheilus, 83, 84
—*lecontei*, 85
Rhinophis, 567
—*philippinus*, 567
—*planiceps*, 567
Rhinophycomycosis entomophthorae, 47
Rhipicephalus sanguineus, 63, 64, 69–73
Rhoptropus, 205, 216
Rivetina, 532
Romerolagus diazi, 289
Rossia, 362–364

Saccostomus campestris, 224–226, 232–234
Salmothymus, 164
Samiri oerstedi, 17
Sarcophyton, 21, 22, 32–34
—*trochiforme*, 21, 22, 32
Scaphiopus, 496
Scapsipedus, 389
—*acletus*, 389
—*vivinus*, 389
Scyliorhinus caniculus, 625
Scylla serrata, 172
Scyllarides elizabethae, 182
Senticolis, 83
Sepia, 359, 361–366, 369–373
—*officinalis vermiculata*, 172
Sibogagorgia, 33
Sigmodon hispidus, 289
Silurus glanis, 164
Somateria mollissima, 306
Sorex oreopolus, 276, 284, 285
Spalax ehrenbergi, 93
—*leucodon*, 94
Spathodus, 413
—*marlieri*, 409
Spermophilus tridecimlineatus, 345, 346
Sphenodon, 211
Sphincterochila, 122, 123
—*cariosa*, 123
—*fimbriata*, 122
—*prophetarum*, 123
—*zonata*, 121–123
Sphodromantis viridis, 524
Spinachia spinachia, 625
Stagmomantis, 524, 533
—*carolina*, 518, 519, 525–529, 533, 536
Steatocranus, 413
—*casuaris*, 409
—*elongatus*, 409
—*gibbiceps*, 409
—*mpozoensis*, 409
—*tinanti*, 409
Steatomys pratensis, 224–226, 232, 234
Sternaspsis scutata, 171, 180, 182
Stilosoma, 77–85
—*extenuatum*, 78, 80, 81, 84, 85
—*vetustum*, 84
Sudanautes africanus, 509
Sus scrofa, 332
Syngnathus acus, 625
Synidotea hirtipes, 182

Tachysurus tenuispinis, 188
Tamias striatus, 345, 346
Tatera leucogaster, 219, 224–230, 232, 234
Taurotragus oryx, 346
Taurulus bubalis, 625, 629–631
Teleocichla, 413, 414
Teleogramma, 411–414
—*brichardi*, 409
—*gracile*, 409
Telmatochromis, 409, 413
—*bifrenatus*, 409
—*caninus*, 409
Terapon jarbua, 189
Thamnophis, 78–80
—*elegans*, 78
—*proximus*, 78
—*sauritus*, 78
—*sirtalis*, 78, 85
Thaumastoplax spiralis, 171, 180, 182, 183
Theba pisana, 113–123
Tilapia, 406
Todarodes angolensis, 359, 361–364, 366–369, 371–373
Todaropsis, 361
—*eblanae*, 359–364, 366–368, 371–373
Trematocara, 413
—*variabile*, 409
Trichostrongylus retortaeformis, 605, 606
Trichosurus vulpecula, 271
Trisopterus minutus, 625

Trochoidea erkeli, 114
—*fortoui*, 114
—*seetzeni*, 114
—*simulata*, 113–123
Tropidophoxinellus, 164
Tylochromis, 411, 412
Tympanophora, 375–390
Tympanophora similis, 375–390

Upogebia africana, 171, 174, 183, 188

Vampyressa pusilla, 15, 17
Verseveldtia, 21, 22, 28, 31–34
—***bucciniforme***, 21, 26, 28, 30–33
—***trochiforme***, 21, 22, 24–28, 31, 33
Vulpes vulpes, 293, 305–308, 321–325, 333

Wonambi, 597
—*naracoortensis*, 597

Xenochromis, 412, 413
—*hecqui*, 409, 412
Xenopeltis, 565–577, 580–584, 591–595
Xenopus, 496
—*laevis*, 496, 497
Xenotilapia, 407, 413–415
Xeropicta vestalis, 113–123
Xylocopa, 203
—*californica*, 203
—*(Neoxylocopa) varipuncta*, 195
—*varipuncta*, 195–204

Yersinia, 532

Zalophus californianus, 370
Zeugopterus punctatus, 625, 629
Zoarces viviparus, 621, 625, 629–631
Zyzomys, 2, 9
—*argurus*, 8
—*woodwardi*, 8